

21.7.98
 Formal
 drawings.

1/12




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5A




Fig. 5B




Fig. 5C

FOUO 06442660

2/12




Fig. 6




Fig. 7

(Disputed
24-8-78)

3/12




Fig. 8




Fig. 9

T06080" 06442660




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15

(Disputed
24.8.98)

6/12




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20










Fig. 21

T06080" 06442660



PRIOR ART



8/12




Fig. 28







Fig. 29A Fig. 29B Fig. 29C Fig. 29D Fig. 29E




Fig. 30




Fig. 31




Fig. 32




Fig. 33

FIG. 28

(Disputed
24.8.98)




Fig. 34




Fig. 35




Fig. 36

T05080" 06112560

10/12




Fig. 37




Fig. 38

11/12

S-N data generated for FS welds compared with plane specimen data for 2024-T3 and HLT joints with interference fit fasteners in 2024-T351




Fig. 39

12/12

Distribution of residual stress across the depth of the plate

(At a point which is 10.5mm from the weld centre)




Fig. 40